News June 2008

in-akustik Hardware & Ambientech

JUNE 2008

inakustik

KABEL | LAUTSPRECHER | MUSIK

AMBIENTECH

AmbienTrack NEW items

AMBIENTECH CONNECTION MATERIAL

Item No.	DESCRIPTION	
002 7000290	AmbienTech LED Light 24V Connection Cable 0,2m	
002 7000293	AmbienTech LED Light 24V Connection Cable MINI 1,5m	**NEW***
002 7000291	AmbienTech LED Light 24V light tube connecting Pins	
002 7000292	AmbienTech LED Light light tube End protection Caps	

Application Sample Connecting Cable
#002 7000290

Application Sample Connecting Cable Mini
#002 7000293 (NEW)

AMBIENTECH UNIVERSAL CABLE OUTLET (NEW)

Item No.	Description	
001 08140007602	WS-OT56 Universal Cable Outlet ALU 70mm; 1-Set	**NEW**
001 08160007602	WS-OT56 Universal Cable Outlet Stainless Steel 70mm; 1-Set	**NEW**



Universal Outlet / Brush Type

AMBIENTECH

AmbienTrack Technics

The AmbienTrack Light power supply Transformer is suitable for the following Maximum Lengths:

white, warm-white, blue, green: up to max. 13 m (= 2,6 W/m)
red and yellow: up to max. 22 m (= 1,6 W/m)



AmbienTech Light | Mounting Tip



For easy positioning the LED Ligth Tube around an outer- or inside an inner corner-turn of the Ambientrack Profile, simply cut a V-shaped notch (see picture above) into the insulation of the light tube. Important note: take care NOT to cut into the copper leads of the LED Light tube.



Outer corner



Inner corner

CABLE

Premium HDMI Right Angle 90° Adapter

A right angle HDMI adapter, which can be pivoted 90° in both directions for easy installation of any HDMI cable in tight and narrow placement situation behind the components.

- HDMI (male) <-> HDMI (female)
- 180° pivotable (+/- 90°)
- Full HD compatible (1080i & 1080p for HDTV)
- Gold plated contact pins
- HDCP / CEC compatible

PREMIUM HDMI Right Angle 90° ADAPTER

Item No.	Description
004 521421	HDMI 90° Adapter M->F +/- 90°; 1 Piece

Premium HDMI Cable

(will replace Matrix C-1 HDMI<->HDMI in the future)

HDMI Cable to connect digital AV Components such as DVD / HD-DVD / Blue-Ray Player / Play-Stations z.B. with a Plasma- or LCD TV or a Beamer.

- 1.3 licensed
- Triple shielded
- Full HD compatible (1080i & 1080p for HDTV)
- HDCP / CEC compatible
- Up to 10m Cable length
- Comes in the new packing
- 0,75m; 1,5m; 7,5m; 10,0m already in stock

PREMIUM HDMI Cable

Item No.	Description
004 24007	Premium HDMI 0,75 m; HDMI <-> HDMI
004 24015	Premium HDMI 1,5 m; HDMI <-> HDMI
004 2403	Premium HDMI 3,0 m; HDMI <-> HDMI
004 2405	Premium HDMI 5,0 m; HDMI <-> HDMI
004 24075	Premium HDMI 7,5 m; HDMI <-> HDMI
004 2410	Premium HDMI 10,0 m; HDMI <-> HDMI

CABLE

Power bar AC-2502-P8 now also available in 3m Version !

- Made in Germany
- 8 sockets (outlets)
- Metal housing
- Phase marking
- Fully shielded
- Solid full metal power bus bars (8 mm²)
- Child protection
- 3 x 2,5 mm² Cable (AC-2502-P8)
- fully compliant with VDE-regulations and CE-conform
- 2Y Filters
- In Plug Filter
- Outer PE-network jacket
- Available from calendar week 24

Power Bar AC-2502-P8

Item No.	Description
007 623715	Power Bar 1,5m; 3x2,5mm²; 8-fach
007 623730	Power Bar 3,0m; 3x2,5mm²; 8-fach

JUNE 2008

in-akustik GmbH & Co. KG
Untermatten 12-14
79282 Ballrechten-Dottingen
GERMANY

Tel.: +49 (0) 7634 5610 18/57/49